Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	A001A	A	Active	The submission overlaps an existing accepted submission.	INVALID SEQUENCE. A submission can not overlap an existing accepted submission.
Content	A002B	A	Active	A C/R record cannot reverse another C/R record.	INVALID RECORD. A C/R record cannot reverse another C/R record.
Content	A004A	A	Active	A record of same record type and adjustment type cannot reference the same parent record within the same submission.	DUPLICATE RECORD. Multiple records of the same type with same Parent Record ID cannot exist .
Content	A005A	A	Active	A record of same record type and adjustment type cannot reference the same parent record from a previous submission.	DUPLICATE RECORD. Multiple records of the same type with same Parent Record ID can not exist.
Content	A006A	A	Active	These CMOs must submit net change records.	INVALID RECORD. This Submitter Organization ID can not submit "CR CN" records.
Content	A006B	A	Active	These CMOs must submit dr/cr change records.	INVALID RECORD. This Submitter Organization ID can not submit N records.
Parser	A009A	R	Active	The Submission XML layout must follow the schema for this line of business.	The Submission XML layout does not follow the schema for this line of business.
Parser	A009B	R	Active	The Header XML layout must follow the schema for this line of business.	The Header XML layout does not follow the schema for this line of business.
Parser	A009C	R	Active	The Detail XML layout must follow the schema for this line of business.	The Detail XML layout does not follow the schema for this line of business.
Parser	A009D	R	Active	Attribute on detail_record element must be record_id	INVALID ATTRIBUTE NAME. Detail_record element attribute is not record_id.
Parser	A010A	H	Active	DSS Table is not available.	SYSTEM DOWN. DSS table is not available.
Parser	A011A	H	Active	Cannot unzip file contents. File may be empty or incomplete.	INVALID FILE. The file is not a valid ZIP file. It may be empty or incomplete.
Content	D002A	R	Active	Submitter Organization ID on the detail record must match the Submitter Organization ID on the header record.	MISMATCHING DATA: Submitter_organization_id on the detail record does not match the submitter_organization_id on the header record.
Content	D002B	R	Active	The Submitter Organization ID provided in the detail record must be found on the lookup table.	INVALID DATA. Submitter Organization ID is not valid.
Parser	D002C	R	Active	Submitter Organization ID is a mandatory 8 digit numeric field.	Submitter Organization ID must be present, have a numeric value with a fixed length of 8.
Content	D002F	R	Active	When CMO MA ID = 69005810 Member Share must equal "C, R or V".	INVALID RECORD. This Submitter Organization ID can not submit encounter record.
Content	D002G	R	Active	When CMO MA ID = 69005810 Record ID must begin with "MCDA".	INVALID RECORD. Record ID does not begin with "MCDA"
Content	D002H	R	Active	When CMO MA ID = 69005820 Record ID must begin with "WPS".	INVALID RECORD. Record ID does not begin with "WPS"
Content	D002I	R	Active	When CMO MA ID =	INVALID RECORD. Record ID must not begin

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc   Page 1 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				69005800 Record ID must not begin with "WPS" nor "MCDA".	with "MCDA" or "WPS"
Parser	D003A	R	Active	Data Source is a mandatory 2 digit numeric field.	INVALID DATA: Data_source must be present, have a numeric value with a fixed length of 2.
Content	D003D	R	Active	When Data Source is a valid Data Source (exists in the master lookup table) then it must be valid for this organization.	INVALID DATA. This Data Source is not valid for this organization.
Content	D003E	R	Active	Data Source must be found in the master lookup table.	INVALID DATA. This Data Source is not valid.
Parser	D004A	R	Active	Record ID is a mandatory alphanumeric and/or special characters field that is unique within a submission and with a maximum length of 80 characters.	INVALID DATA: Record_ID must be present, be unique within a submission, and have an alphanumeric and/or special characters value with a max length of 80.
Content	D004B	R	Active	Duplicate Record ID's must not exist within different submissions.	DUPLICATE RECORD. The Record ID is not unique for this organization. Different submissions contain the same Record ID.
Content	D004E	R	Active	Record ID must begin with MCDA.	INVALID RECORD This Record ID does not begin with MCDA.
Content	D004F	R	Active	Record ID must begin with WPS.	INVALID RECORD This Record ID does not begin with WPS.
Content	D004G	R	Active	Record ID must not begin with WPS or MCDA.	INVALID RECORD This Record ID must not begin with WPS or MCDA.
Parser	D004H	R	Active	Duplicate record ID's are not allowed within the same submission.	DUPLICATE RECORD. Duplicate Record ID exists within the same submission.
Content	D005A	A	Active	When the Record Type equals O, the Parent Record ID must be null.	INVALID DATA. Record Type is an original, and the Parent Record ID is not null.
Content	D005B	A	Active	When the Record Type = C, data must be provided in the Parent Record field.	MISSING DATA. Record Type is an adjustment, and the Parent Record ID is not provided.
Content	D005C	A	Active	When the Record Type equals C,the data in the Parent Record ID must exist as a Record ID for that organization.	MISSING RECORD. Parent Record ID record does not exist as a record_id.
Parser	D005D	A	Active	Parent Record ID is a non mandatory alphanumeric and/or special characters field with a maximum length of 80 characters.	INVALID DATA: Parent_Record_ID must be an alphanumeric and/or special characters value with a max length of 80. Field is optional.
Content	D005F	A	Active	The Parent Record ID cannot equal the Record ID.	INVALID DATA. The Parent Record ID cannot equal the Record ID.
Parser	D006A	A	Active	Original ID is a mandatory alphanumeric field with a maximum length of 80 characters.	INVALID DATA: Original_id must be an alphanumeric value with a max length of 80.
Content	D006C	A	Active	When the Record Type = C, the data in the original ID must point to an existing original transaction for that	MISMATCHING RECORD. Record Type is an adjustment, and the Original ID does not point to an Original record.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 2 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				organization.	
Content	D006D	A	Active	When Record Type equals "O" and the data is provided, the Original ID must equal the Record ID.	INVALID DATA. Record Type is an original, and the Original ID does not equal Record ID.
Content	D006E	A	Active	When Record Type = O or C with an adjustment type of N, Original ID must be provided.	MISSING DATA: Original_id was not provided.
Parser	D007A	R	Active	Claim Status is a mandatory field with a value of "P" or "D".	INVALID DATA: Claim_Status must be present and have a value P or D.
Content	D007D	R	Active	For a denied transaction, Paid Amount must be zero.	INVALID DATA. Claim Status is denied, and Paid Amount is not zero.
Content	D007E	R	Active	Claim Status must equal P for a member share transaction.	INVALID DATA. Member Share is a member share transaction and Claim status does not equal paid.
Content	D007F	R	Active	No adjustments can be made to a denied claim.	INVALID RECORD. Claim Status is denied, and an adjustment was made.
Parser	D008A	R	Active	Record Type is a mandatory field with a value of "O", "C" or "N".	INVALID DATA: Record_Type must be present and have a value O, C or N.
Content	D008B	A	Active	Comparing numeric fields on a reversal to its parent.	MISMATCHING DATA. Numeric data on the reversal adjustment record (CR) is not the inverse of the parent
Content	D008C	A	Active	Comparing alpha and date fields on a reversal to its parent.	MISMATCHING DATA. Non-numeric data on the reversal adjustment record (CR) is not the same as the parent
Content	D008F	R	Active	Reversal adjustment record must exist before a new adjustment record is created.	INVALID SEQUENCE. New adjustment record (CN) exists when the reversal adjustment record does not exist.
Content	D009A	A	Active	When the Record Type = C, Adjustment Type must equal R or N.	INVALID DATA. Adjustment Type is not valid.
Content	D009B	A	Active	When Record Type = O Adjustment Type must be null.	INVALID DATA. Record Type is an original, and the Adjustment Type is not null.
Parser	D009C	A	Active	Adjustment Type is a non mandatory 1 character field.	INVALID DATA: Adjustment_Type must be alpha value with a fixed length of 1. Field is optional
Parser	D010A	A	Active	Adjustment Type Detail is a non mandatory field with a value of "FC", "PC" or "NC".	INVALID DATA: Adjustment_Type_Detail must have a value FC, PC or NC. Field is optional.
Content	D010D	A	Active	When the Record Type = O, the Adjustment Type Detail must be null	INVALID DATA. Record Type is an original, and the Adjustment Type Detail is not null.
Parser	D011A	S	Active	Claim Adjustment Reason Code is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Claim Adjustment Reason Code must be an alphanumeric value with a max length of 3. Field is optional.
Content	D011C	S	Active	When the Claim Adjustment Reason Code is provided then the code must exist in the master lookup table.	INVALID DATA. The Claim Adjustment Reason Code is not valid.
Content	D011D	S	Active	When the Claim Adjustment	INVALID DATA. The Claim Adjustment Reason

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 3 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Reason Code is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	Code is not in date range.
Content	D011E	S	Active	The Claim Adjustment Reason Code must be provided on a denied claim.	MISSING DATA. Claim Status is denied, and Claim Adjustment Reason Code is not provided.
Content	D011F	S	Active	The Claim Adjustment Reason Code must be provided when the Paid Amount is less than Charges.	MISSING DATA. Paid Amount is less than Charges, and the Claim Adjustment Reason Code not provided.
Content	D011G	S	Active	When Claim Adjustment Reason Code(s) is (are) provided, the data must start with Claim Adjustment Reason Code, and be filled sequentially without gaps.	INVALID SEQUENCE. Claim Adjustment Reason Code fields are not filled sequentially.
Content	D011H	S	Active	When Claim Type is Institutional or Professional (i.e., non-pharmacy and non-dental) and Paid Amount is less than Charges, Claim Adjustment Reason Code must be Provided.	MISSING DATA. Claim type is Institutional or Professional, Paid amount is less than Charges, and Claim Adjustment Reason Code is not provided.
Content	D011I	S	Active	When Claim Type is Institutional or Professional (i.e., non-pharmacy and non-dental) the Claim Adjustment Reason Code must be provided on a denied claim.	MISSING DATA. Claim Status is denied, Claim is Professional or Institutional, and Claim Adjustment Reason Code is not provided.
Parser	D012A	S	Active	Claim Adjustment Reason Code 2 is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Claim Adjustment Reason Code 2 must be an alphanumeric value with a max length of 3. Field is optional.
Content	D012C	S	Active	When the Claim Adjustment Reason Code 2 is provided then the code must exist in the master lookup table.	INVALID DATA. The Claim Adjustment Reason Code 2 is not valid.
Content	D012D	S	Active	When the Claim Adjustment Reason Code 2 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. The Claim Adjustment Reason Code 2 is not in date range.
Parser	D013A	S	Active	Claim Adjustment Reason Code 3 is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Claim Adjustment Reason Code 3 must be an alphanumeric value with a max length of 3. Field is optional.
Content	D013C	S	Active	When the Claim Adjustment Reason Code 3 is provided then the code must exist in the master lookup table.	INVALID DATA. The Claim Adjustment Reason Code 3 is not valid.
Content	D013D	S	Active	When the Claim Adjustment Reason Code 3 is provided and the code is in the master lookup table, then it must be	INVALID DATA. The Claim Adjustment Reason Code 3 is not in date range.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc

Page 4 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				within date range (based on dates of service).	
Parser	D014A	S	Active	Claim Adjustment Reason Code 4 is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Claim Adjustment Reason Code 4 must be an alphanumeric value with a max length of 3. Field is optional.
Content	D014C	S	Active	When the Claim Adjustment Reason Code 4 is provided then the code must exist in the master lookup table.	INVALID DATA. The Claim Adjustment Reason Code 4 is not valid.
Content	D014D	S	Active	When the Claim Adjustment Reason Code 4 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. The Claim Adjustment Reason Code 4 is not in date range.
Parser	D015A	S	Active	Claim Adjustment Reason Code 5 is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Claim Adjustment Reason Code 5 must be an alphanumeric value with a max length of 3. Field is optional.
Content	D015C	S	Active	When the Claim Adjustment Reason Code 5 is provided then the code must exist in the master lookup table.	INVALID DATA. The Claim Adjustment Reason Code 5 is not valid.
Content	D015D	S	Active	When the Claim Adjustment Reason Code 5 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. The Claim Adjustment Reason Code 5 is not in date range.
Parser	D016A	S	Active	Claim Adjustment Reason Code 6 is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Claim Adjustment Reason Code 6 must be an alphanumeric value with a max length of 3. Field is optional.
Content	D016C	S	Active	When the Claim Adjustment Reason Code 6 is provided then the code must exist in the master lookup table.	INVALID DATA. The Claim Adjustment Reason Code 6 is not valid.
Content	D016D	S	Active	When the Claim Adjustment Reason Code 6 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. The Claim Adjustment Reason Code 6 is not in date range.
Parser	D017A	S	Active	CMO Reason Code is a non mandatory alphanumeric and/or special characters field with a maximum length of 6.	INVALID DATA: CMO_Reason_Code must be an alphanumeric and/or special characters value with a max length of 6. Field is optional.
Parser	D018A	P	Active	MA Billing Provider ID is a non mandatory 8 digit numeric field.	INVALID DATA: MA_Billing_Provider_ID must be a numeric value with a fixed length of 8. Field is optional.
Content	D018B	P	Active	MA Billing Provider or Billing Provider ID must be provided.	MISSING DATA. MA Billing Provider or Billing Provider ID is not provided.

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	D018C	P	Active	The MA Billing Provider ID must equal Submitter Organization ID for a member share transaction.	INVALID DATA. Member Share is a member share transaction and MA Billing Provider does not equal Submitter Organization ID.
Content	D018E	P	Active	When MA Billing Provider ID is provided, MA Billing Provider ID must exist in the master lookup table.	INVALID DATA. MA Billing Provider ID is not valid.
Content	D018F	P	Active	When MA Billing Provider ID is provided, it must be within date range.	INVALID DATA. MA Billing Provider ID is not within date range.
Parser	D019A	P	Active	Billing Provider ID Qualifier is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Billing_Provider_ID_Qualifier must be an alphanumeric value with a max length of 2. Field is optional.
Content	D019B	P	Active	When Billing Provider ID is provided, the Billing Provider ID Qualifier must be provided.	MISSING DATA. Billing Provider ID is provided, and the Billing Provider ID-Qualifier is not provided.
Content	D019E	P	Active	The Billing Provider ID Qualifier must be one of the following VALUES: 24, 34, XX OR CO.	INVALID DATA. Billing Provider ID Qualifier IS NOT one OF the following VALUES: 24, 34, XX OR CO
Content	D019F	P	Active	When the SPC indicates a Health / Medical service, then the Billing Provider ID Qualifier or Rendering Provider ID Qualifier must be "XX".	INVALID DATA. The SPC Code indicates a Health/Medical service and neither the Billing Provider ID-Qualifier nor the Rendering Provider ID-Qualifier equals "XX".
Content	D019G	R	Active	When Claim Type is PH (pharmacy), then the Billing Provider ID Qualifier must be "XX".	INVALID DATA: Claim_type is PH and the Billing Provider ID Qualifier is not "XX".
Parser	D020A	P	Active	Billing Provider ID is a non mandatory alphanumeric and/or special characters field with a maximum length of 80 characters.	INVALID DATA: Billing_Provider_ID must be an alphanumeric and/or special characters value with a max length of 80. Field is optional.
Content	D020D	P	Active	When Billing Provider ID Qualifier is provided, the Billing Provider ID must be provided.	MISSING DATA. Billing Provider ID-Qualifier is provided and the Billing Provider ID is not provided.
Content	D020E	P	Active	When the Billing Provider ID Qualifier IS "XX", then a valid 10 digit NPI code must be provided in the Billing Provider ID Field	INVALID DATA. The Billing Provider ID Qualifier is "XX", and the corresponding Billing Provider ID does not contain a VALID 10 digit NPI number.
Content	D021A	P	Active	Billing Provider Last Name or Organization must be provided	MISSING DATA. Billing Provider Last Name or Organization is not provided.
Parser	D021B	P	Active	Billing Provider Last Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 35 characters.	INVALID DATA: Billing_Provider_Last_Name must be an alphanumeric and/or special characters value with a max length of 35. Field is optional.
Parser	D022A	P	Active	Billing Provider First Name is	INVALID DATA: Billing_Provider_First_Name

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				a non mandatory alphanumeric and/or special characters field with a maximum length of 25 characters.	must be an alphanumeric and/or special characters value with a max length of 25. Field is optional.
Parser	D023A	P	Active	Billing Provider Middle Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 25 characters.	INVALID DATA: Billing_Provider_Middle_Name must be an alphanumeric and/or special characters value with a max length of 25. Field is optional.
Parser	D024A	P	Active	MA Rendering Provider ID is a non mandatory 8 digit numeric field.	INVALID DATA: MA_Rendering_Provider_ID must be a numeric value with a fixed length of 8. Field is optional.
Content	D024C	P	Active	The MA Rendering Provider ID must equal Submitter Organization ID for a member share transaction.	INVALID DATA. Member Share is a member share transaction and the MA Rendering Provider does not equal Submitter Organization ID.
Content	D024D	P	Active	When MA Rendering Provider ID is provided, MA Rendering Provider ID must exist in the master lookup table.	INVALID DATA. MA Rendering Provider ID is not valid.
Content	D024E	P	Active	When MA Rendering Provider ID is provided, it must be within date range.	INVALID DATA. MA Rendering provider ID is not within date range.
Content	D024F	P	Active	The MA Rendering Provider ID must not equal CMO based Org. ID	INVALID DATA. The MA Rendering Provider ID cannot equal Submitter Organization ID
Parser	D025A	P	Active	Rendering Provider ID Qualifier is a non mandatory numeric field with a maximum length of 2 characters with values "24", "34", "XX" or "CO".	INVALID DATA: Rendering_Provider_ID_Qualifier must be a numeric value with a max length of 2. Field is optional and can have the values [24, 34, XX or CO].
Content	D025D	P	Active	When Rendering Provider ID Qualifier is provided, it must equal 24, 34, XX, or CO.	INVALID DATA. Rendering Provider ID Qualifier is not valid.
Content	D025E	P	Active	When Rendering Provider ID Qualifier is provided, the Rendering Provider ID must be provided.	MISSING DATA. Rendering Provider ID Qualifier is provided and the Rendering Provider ID is not provided.
Content	D025F	R	Active	When Claim Type is PH (pharmacy), then the Rendering Provider ID Qualifier must be "XX".	INVALID DATA: Claim_type is PH and the Rendering Provider ID Qualifier is not "XX".
Parser	D026A	P	Active	Rendering Provider ID is a non mandatory alphanumeric and/or special characters field with a maximum length of 80 characters.	INVALID DATA: Rendering_Provider_ID must be an alphanumeric and/or special characters value with a max length of 80. Field is optional.
Content	D026C	P	Active	When Rendering Provider ID is provided, the Rendering Provider ID Qualifier must be provided.	MISSING DATA. Rendering Provider ID is provided and the Rendering Provider ID Qualifier is not provided.
Content	D026E	S	Active	When Rendering Provider ID is provided then the Rendering Provider Last	MISSING DATA. Rendering Provider ID is provided, and the Rendering Provider Last Name is not provided.

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc   Page 7 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Name must also be provided.	
Content	D026F	R	Active	When the Rendering Provider ID Qualifier is "XX", then a valid 10 digit NPI code must be provided in the Rendering Provider ID Field	INVALID DATA. The Rendering Provider ID Qualifier is "XX", and the corresponding Rendering Provider ID does not contain a VALID 10 digit NPI number.
Parser	D027A	P	Active	Rendering Provider Last Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 35.	INVALID DATA: Rendering_Provider_Last_Name must be an alphanumeric and/or special characters value with a max length of 35. Field is optional.
Content	D027C	S	Active	When Rendering Provider Last Name is provided then the Rendering Provider ID must also be provided.	MISSING DATA. Rendering Provider Last Name is provided and the Rendering Provider ID is not provided.
Parser	D028A	P	Active	Rendering Provider First Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 25.	INVALID DATA: Rendering_Provider_First_Name must be an alphanumeric and/or special characters value with a max length of 25. Field is optional.
Parser	D029A	P	Active	Rendering Provider Middle Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 25.	INVALID DATA: Rendering_Provider_Middle_Name must be an alphanumeric and/or special characters value with a max length of 25. Field is optional.
Content	D030A	M	Active	Recipient ID must be provided.	MISSING DATA. Recipient ID is not provided.
Parser	D030C	M	Active	Recipient ID is a non mandatory 10 digit numeric field.	Recipient_ID must be a numeric value with a fixed length of 10. Field is optional.
Content	D030D	M	Active	Recipient ID must exist in the master lookup table.	INFORMATIONAL DATA. Recipient ID is not valid.
Content	D030E	M	Active	When Recipient ID exists on the master lookup table then must have family care eligibility.	INFORMATIONAL DATA. This recipient does not have Family Care eligibility.
Content	D030H	M	Active	When a valid Recipient is provided, it must have Pace Partnership eligibility.	Informational. This recipient does not have Pace Partnership eligibility.
Content	D030I	M	Active	When a valid Recipient is provided, it must have SSI Managed Care eligibility.	INFORMATIONAL. Recipient does not have SSI Managed Care eligibility.
Content	D031A	M	Active	Recipient Last Name must be provided.	MISSING DATA. Recipient Last Name is not provided.
Parser	D031B	M	Active	Recipient Last Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 35 characters.	INVALID DATA: Recipient_Last_Name must be an alphanumeric and/or special characters value with a max length of 35. Field is optional.
Content	D032A	M	Active	Recipient First Name must be provided.	MISSING DATA. Recipient First Name is not provided.
Parser	D032B	M	Active	Recipient First Name is a non mandatory alphanumeric and/or special characters field with a maximum length of 25 characters.	INVALID DATA: Recipient_First_Name must be an alphanumeric and/or special characters value with a max length of 25.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 8 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D033A	M	Active	Recipient Middle Name is a non mandatory alphanumeric and/or specials characters field with a maximum length of 25 characters.	INVALID DATA:Recipient_Middle_Name must be an alphanumeric and/or special characters value with a max length of 25. Field is optional.
Parser	D035A	S	Active	Diagnosis Code Additional 2 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 2 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D035C	S	Active	When the Diagnosis Code Additional 2 is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Additional 2 is not valid.
Content	D035D	S	Active	When the Diagnosis Code Additional 2 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 2 is not in date range.
Content	D035E	S	Active	The Diagnosis Code Additional 2 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 2 is not null.
Parser	D036A	S	Active	Diagnosis Code Additional 3 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 3 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D036C	S	Active	When the Diagnosis Code Additional 3 is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Additional 3 is not valid.
Content	D036D	S	Active	When the Diagnosis Code Additional 3 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 3 is not in date range.
Content	D036E	S	Active	The Diagnosis Code Additional 3 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 3 is not null.
Parser	D037A	S	Active	Diagnosis Code Additional 4 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 4 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D037C	S	Active	When the Diagnosis Code Additional 4 is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Additional 4 is not valid.
Content	D037D	S	Active	When the Diagnosis Code Additional 4 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 4 is not in date range.
Content	D037E	S	Active	The Diagnosis Code Additional 4 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 4 is not null.
Parser	D038A	S	Active	Diagnosis Code Additional 5	INVALID DATA: Diagnosis Code Additional 5

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 9 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				is a non mandatory field with a maximum length of 30 characters.	must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D038C	S	Active	When the Diagnosis Code Additional 5 is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Additional 5 is not valid.
Content	D038D	S	Active	When the Diagnosis Code Additional 5 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 5 is not in date range.
Content	D038E	S	Active	The Diagnosis Code Additional 5 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 5 is not null.
Parser	D039A	S	Active	Diagnosis Code Additional 6 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 6 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D039C	S	Active	When the Diagnosis Code Additional 6 is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Additional 6 is not valid.
Content	D039D	S	Active	When the Diagnosis Code Additional 6 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 6 is not in date range.
Content	D039E	S	Active	The Diagnosis Code Additional 6 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 6 is not null.
Parser	D040A	S	Active	Diagnosis Code Additional 7 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 7 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D040C	S	Active	When the Diagnosis Code Additional 7 is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Additional 7 is not valid.
Content	D040D	S	Active	When the Diagnosis Code Additional 7 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 7 is not in date range.
Content	D040E	S	Active	The Diagnosis Code Additional 7 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 7 is not null.
Parser	D041A	S	Active	Diagnosis Code Additional 8 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 8 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D041C	S	Active	When the Diagnosis Code Additional 8 is provided then the code must exist in the	INVALID DATA. Diagnosis Code Additional 8 is not valid.

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 10 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				master lookup table.	
Content	D041D	S	Active	When the Diagnosis Code Additional 8 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 8 is not in date range.
Content	D041E	S	Active	The Diagnosis Code Additional 8 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 8 is not null.
Content	D042A	S	Active	Service Date From must be provided.	MISSING DATA. Service Date From is not provided.
Parser	D042B	S	Active	Service Date From is a mandatory field in the format of CCYY-MM-DD	Service Date From is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D042C	S	Active	Service Date From must be less than or equal to the month end posting date	INVALID DATA. Service Date From is not less than or equal to the month end posting date
Content	D043A	S	Active	Service Date To must be provided.	MISSING DATA. Service Date To is not provided.
Parser	D043B	S	Active	Service Date To is a mandatory field in the format of CCYY-MM-DD	Service Date To is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D043C	S	Active	Service Date To must be greater than or equal to Service Date From.	INVALID DATA. Service Date To is not greater than or equal to Service Date From.
Content	D043D	S	Active	If Claim Type = Pharmacy, Service Date To must be less than or equal to posting date.	INVALID DATA. Service Date To is not less than or equal to posting date.
Content	D043E	S	Active	Service Date To must be less than or equal to the month end posting date	INVALID DATA. Service Date To is not less than or equal to the month end posting date
Content	D043F	S	Active	Service Date To cannot be more than 13 months after the Posting Month	INVALID DATA. Service Date To is more than 13 months after the Posting Month
Parser	D044A	S	Active	Place Of Service is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Place of Service must be an alphanumeric value with a max length of 2. Field is optional.
Content	D044C	S	Active	When Place of Service code is provided, it must exist in the master lookup table.	INVALID DATA. Place of Service code is not valid.
Content	D044D	S	Active	When Place of Service Code is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. The Place of Service Code is not in date range.
Content	D044E	S	Active	The Place of Service Code must be null for member share.	INVALID DATA. Member Share is a member share transaction and Place of Service code is not null.
Content	D044G	S	Active	If Claim Type = professional, Place of Service must be provided.	MISSING DATA. Claim Type is professional and Place of Service is not provided.

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 11 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D046A	S	Active	Procedure Code is a non mandatory alphanumeric field with a maximum length of 48 characters.	INVALID DATA: Procedure_Code must be an alphanumeric value with a max length of 48. Field is optional.
Content	D046C	S	Active	When Procedure Code is provided then the code must exist in the master lookup table.	INVALID DATA. Procedure Code is not valid.
Content	D046D	S	Active	WHEN the PROCEDURE Code IS provided AND the code IS IN the master lookup TABLE THEN it must be within DATE RANGE USING runout period END DATE (based ON dates OF service).	INVALID DATA. The Procedure Code is not in date range.
Content	D046F	S	Active	Dates of service are greater than Procedure Code's end date and less than or equal to Procedure Code's grace period end date.	INFORMATIONAL DATA. Dates of service are greater than Procedure Code's end date but is less than or equal to Procedure Code's grace period end date.
Content	D046G	S	Active	PROCEDURE Code OR Revenue Code IS required	MISSING DATA. PROCEDURE Code OR the Revenue Code IS NOT provided
Content	D046H	S	Active	The Dates of Service are greater than Procedure Code's end date and is less than or equal to Procedure Code's run out period end date	INVALID VALUE. The Dates of Service are greater than the Procedure Code's end date but is less than or equal to run out period end date.
Content	D046I	S	Active	ICD9 Procedure Code, Procedure Code or Revenue Code must be provided.	MISSING DATA. ICD9 Procedure Code, Procedure Code or the Revenue Code is not provided.
Content	D046J	S	Active	When Claim Type is PH, then a valid NDC Code must be Provided.	A valid NDC Code was Not Provided.
Content	D046K	S	Active	When Claim Type = Pharmacy, then either a valid NDC Code, or a valid OTC Code is required.	A valid NDC Code or a valid OTC code was not provided.
Content	D046L	S	Active	The Dates of Service must be between the Code Effective From Date and the Code Effective Through Date.	INVALID VALUE. The Dates of Service are outside the procedure_code effective begin and end date. HIPPS code effective begin date mm/dd/ccyy and effective end date mm/dd/ccyy.
Parser	D047A	S	Active	Procedure Code Modifier 1 is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Procedure Code Modifier 1 must be an alphanumeric value with a max length of 2. Field is optional.
Content	D047C	S	Active	When Procedure Code Modifier 1 is provided, it must exist in the master lookup table.	INVALID DATA. Procedure Code Modifier 1 is not valid.
Content	D047D	S	Active	When the Procedure Code Modifier 1 is provided and the code is in the master lookup table, then it must be within date range (based on dates	INVALID DATA. Procedure Code Modifier 1 is not in date range.

| Revision Date: | 12/05/2007 | Author: | Ramona Johnson | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 12 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				of service).	
Content	D047E	S	Active	When Modifier(s) is (are) provided, the data must start with Procedure Code Modifier 1, and be filled sequentially without gaps.	INVALID SEQUENCE. Modifier Code fields are not filled consecutively.
Parser	D048A	S	Active	Procedure Code Modifier 2 is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Procedure Code Modifier 2 must be an alphanumeric value with a max length of 2. Field is optional.
Content	D048C	S	Active	When Procedure Code Modifier 2 is provided, it must exist in the master lookup table.	INVALID DATA. Procedure Code Modifier 2 is not valid.
Content	D048D	S	Active	When the Procedure Code Modifier 2 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Procedure Code Modifier 2 is not in date range.
Parser	D049A	S	Active	Procedure Code Modifier 3 is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Procedure Code Modifier 3 must be an alphanumeric value with a max length of 2. Field is optional.
Content	D049C	S	Active	When Procedure Code Modifier 3 is provided, it must exist in the master lookup table.	INVALID DATA. Procedure Code Modifier 3 is not valid.
Content	D049D	S	Active	When the Procedure Code Modifier 3 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Procedure Code Modifier 3 is not in date range.
Parser	D050A	S	Active	Procedure Code Modifier 4 is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Procedure Code Modifier 4 must be an alphanumeric value with a max length of 2. Field is optional.
Content	D050C	S	Active	When Procedure Code Modifier 4 is provided, it must exist in the master lookup table.	INVALID DATA. Procedure Code Modifier 4 is not valid.
Content	D050D	S	Active	When the Procedure Code Modifier 4 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Procedure Code Modifier 4 is not in date range.
Parser	D051A	S	Active	Revenue Code is a non mandatory alphanumeric field with a maximum length of 4 characters.	INVALID DATA: Revenue_Code must be an alphanumeric value with a max length of 4. Field is optional.
Content	D051C	S	Active	When Revenue Code is provided, it must exist in the master lookup table.	INVALID DATA. The Revenue Code is not valid.

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 13 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	D051D	S	Active	When the Revenue Code is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. The Revenue Code is not in date range.
Content	D052A	S	Active	Quantity must be provided.	MISSING DATA. Quantity is not provided.
Parser	D052B	S	Active	Quantity is a non mandatory numeric field with a maximum length of 15.	INVALID DATA: Quantity must be numeric with a decimal format of 999999999999.999 Max length of 15 and 3 decimal positions. Field is optional.
Content	D052F	S	Active	Quantity must reflect the same sign as the dollar fields.	INVALID DATA. Quantity does not reflect the same SIGN AS the dollar fields.
Content	D052I	S	Active	Quantity must be null for a member share.	INVALID DATA. Member Share is a member share transaction and Quantity is not null.
Content	D052J	S	Active	Quantity must be greater than or equal to zero for an encounter transaction.	INVALID DATA. Quantity is not equal to or greater than zero.
Parser	D053A	S	Active	Unit or Basis for Measurement Code is a non mandatory alphanumeric field with a maximum length of 2.	INVALID DATA: Unit_or_Basis_for_Measurement_Code must be alphanumeric with a max length of 2. Field is optional.
Content	D053B	S	Active	When data is provided, Unit or Basis for Measurement Code must equal MI, HR, DA, WK, YR, Q1, F2, UN, MJ, or DH.	INVALID DATA. Unit or Basis of Measurement is not valid.
Content	D053D	S	Active	Unit or Basis of Measurement Code must be provided for an encounter transaction.	MISSING DATA. Unit or Basis of Measurement Code is not provided.
Content	D053E	S	Active	Unit or Basis of Measurement Code must be null for a member share.	MISSING DATA. Member Share is a member share transaction and Unit or Basis of Measurement Code is not null.
Content	D056A	S	Active	Charges must be provided for an encounter transaction.	MISSING DATA. Encounter transaction. Charges is not provided
Content	D056B	S	Active	Charges must be null for member share.	INVALID DATA. Member Share is a member share transaction and Charges are not null.
Parser	D056C	S	Active	Charges is a non mandatory field with a maximum length of 18.	INVALID DATA: Charges field is optional, with optional prefix +- sign, integer of decimal format 999999999999999.99, max of 2 decimal places and field (excluding sign) max length 18.
Content	D056E	S	Active	The signs(+/-) for Charges, Allowed Amount, Total Medicare Paid Amount, Other Payer Paid Amount (Primary), Other Payer Paid Amount (Secondary) and Paid Amount must be the same.	INVALID DATA. The signs(+/-) for Charges, Allowed Amount, Total Medicare Paid Amount, Other Payer Paid Amount (Primary), Other Payer Paid Amount (Secondary), Paid Amount are not the same.
Content	D056F	S	Active	Charges must be greater than or equal to zero for an encounter transaction.	INVALID DATA. Charges are not greater than or equal to zero.
Parser	D057A	S	Active	Receipt Date is a non mandatory field in the format of CCYY-MM-DD	Receipt_Date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D057B	S	Active	Receipt Date must be less than or equal to Posting	INVALID DATA. Receipt Date is not less than or

Revision Date:	*12/05/2007*	Author:	*Ramona Johnson*	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 14 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Date.	equal to Posting date.
Content	D057C	S	Active	The Receipt Date must be provided.	MISSING DATA. Receipt Date is not provided.
Content	D058A	S	Active	Paid Amount must be provided.	MISSING DATA. Paid Amount is not provided.
Parser	D058B	S	Active	Paid Amount is a non mandatory field with a maximum length of 18.	INVALID DATA. Paid_Amount is optional with a max length 18.
Content	D058D	S	Active	Paid Amount must be a negative amount for a member share transaction.	INVALID DATA. Member Share is a member share transaction and Paid Amount is not a negative amount.
Content	D058E	S	Active	When Claim Status=Paid, and the Sum of Total Medicare Paid Amount plus Other Payer Paid Amount(Primary) plus Other Payer Paid Amount(Secondary)=0 or null, then the Paid Amount must be greater than 0.	INVALID DATA. Claim Status is Paid, & the Sum of Total Medicare Paid Amount plus Other Payer Paid Amount(Primary) plus Other Payer Paid Amount(Secondary) is 0 & the Paid Amount is not greater than 0.
Content	D058F	S	Active	The Paid Amount will be less than or equal to Charges, when both are provided.	INVALID DATA. Both Paid Amount and Charges are provided and the Paid Amount is not equal to or less than the Charges amount.
Content	D058G	S	Active	Paid Amount must be greater than or equal to zero for an encounter transaction.	INVALID DATA. Paid Amount is not greater than or equal to zero.
Parser	D059A	R	Active	Posting Date is a mandatory field in the format of CCYY-MM-DD	Posting_Date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D059C	R	Active	Posting date must be less than or equal to Header's End Posting date.	INVALID DATA. Posting Date is not less than or equal to header's End Posting Date.
Parser	D060A	S	Active	TPL Paid Amount is a non mandatory field with a maximum length of 18.	INVALID DATA: TPL_Paid_Amount is optional, with optional prefix + - sign, integer of decimal format 999999999999999.99, max of 2 decimal places and field max length 18.
Content	D060C	S	Active	For a member share transaction, the TPL Paid Amount must equal 0.	INVALID DATA. Member Share is a member share transaction and TPL Paid Amount does not equal zero.
Content	D060D	S	Active	TPL Paid Amount must be provided.	MISSING DATA. TPL Paid Amount is not provided.
Content	D060E	S	Active	TPL Paid Amount must be greater than or equal to zero.	INVALID DATA. TPL Paid Amount is not greater than or equal to zero.
Parser	D061A	S	Active	Allowed Amount is a non mandatory field with a maximum length of 18.	INVALID DATA: Allowed_Amount field is optional, with optional prefix +- sign, integer of decimal format 999999999999999.99, max of 2 decimal places and field max length of 18.
Content	D061C	S	Active	Allowed amount must be null for member share.	INVALID DATA. Member Share is a member share transaction and Allowed Amount is not null.
Content	D061D	S	Active	Allowed Amount must be provided for an encounter transaction.	MISSING DATA. Allowed Amount is not provided.
Content	D061E	S	Active	When supplied the Allowed	INVALID DATA. Allowed Amount is not greater

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 15 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Amount must be greater than or equal to zero for an Encounter transaction.	than or equal to zero.
Parser	D062A	S	Active	Support Indicator is a mandatory 1 character field with values "C", "N" or "S"	INVALID DATA: Support_Indicator must be provided and must have an uppercase alpha with a fixed length of 1. Must be "C", "N" or "S".
Content	D062E	S	Active	Support indicator must equal "S" or "C" for an Encounter transaction.	INVALID DATA. Support Indicator does not equal S or C.
Content	D062F	S	Active	Support Indicator must equal "N" for member share.	INVALID DATA. Member Share is a member share transaction and Support Indicator does not equal N.
Parser	D063A	A	Active	Member Share is a mandatory 1 character field with values "C", "R", "V", "S" or "N".	INVALID DATA: Member_Share must be provided and must have an uppercase alpha with a fixed length of 1. Must be "C", "R", "V", "S" or "N".
Content	D063C	A	Active	When Support indicator equals N, then Member Share must equal C, R, S, or V.	INVALID DATA. Support Indicator equals N and Member Share does not equal C, R, S, or V.
Content	D063F	A	Active	Member Share must equal N	INVALID DATA Member share does not equal N
Content	D063G	A	Active	Member Share must equal C, R, S or V	INVALID DATA Member share does not equal C, R, S or V
Parser	D064A	M	Active	National Health Plan ID is a non mandatory alphanumeric field with a maximum length of 80.	National_Health_Plan_ID must be alphanumeric with a max length of 80. Field is optional.
Parser	D065A	M	Active	National Reciepient ID is a non mandatory alphanumeric field with a maximum length of 80.	National_Recipient_ID must be alphanumeric with a max length of 80. Field is optional.
Parser	D071A	M	Active	Recipient Birth Date is a non mandatory field in the format of CCYY-MM-DD	Recipient_Birth_Date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D071B	M	Active	When the Recipient birth date is provided, it must be less than or equal to the FDOS.	INVALID DATA. Recipient Birth Date is not less than or equal to Service Date From.
Content	D071C	M	Active	When the Recipient Birth date is provided and the Service Date From is provided, then the Birth date + 150 years must be >= Service Date From.	INVALID DATA. Recipient Birth Date + 150 years is not greater than or equal to Service Date From.
Content	D071D	M	Active	When the Recipient Birth date is provided and the Recipient is found in the Recipient Master file with a DOB, then the Recipient Birth date must = DOB in Recipient Master File.	MISMATCHING DATA. Recipient Birth Date does not match the date of birth found in the MMIS recipient master file.
Content	D071E	M	Active	When both the Recipient Birth date and the Recipient Death date is provided, then the Death date must be >= the Birth date.	INVALID DATA. The Recipient Death Date is not greater than equal to Recipient Birth Date.
Content	D071F	M	Active	Recipient Birth Date must be	INVALID DATA: Recipient_birth_date was

Revision Date:	12/05/2007	Author:	Ramona Johnson	Approver:	

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 16 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				less than or equal to the earliest SPC Start Date.	greater than the earliest spc_start_date.
Parser	D072A	M	Active	Recipient Death Date is a mandatory field in the format of CCYY-MM-DD	Recipient_Death_Date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D072B	M	Active	When the Recipient Death Date is provided, it must be less than or equal to the Posting date.	INVALID DATA. Recipient Death Date is not less than or equal to Posting Date.
Content	D072C	M	Active	When the Recipient Death date is provided and the Service Date To is provided, then the Death date + 2 months must be >= Service Date To.	INVALID DATA. The Service Date To should not be greater than the Death date + 2 months.
Content	D072D	M	Active	When the Recipient Death date is provided and the Recipient is found in the Recipient Master file with a DOD then the Recipient Death date must equal DOD in Recipient Master File.	INVALID DATA. The Recipient Death Date does not match the DOD found in the MMIS Recipient Master Table.
Content	D072E	S	Active	When the MMIS recipient Master table has a death date, the death date must be provided.	INFORMATIONAL. The MMIS recipient Master table has a death date, and the death date was not provided.
Content	D073A	S	Active	When the DRG is provided it must exist in the lookup table.	INVALID DATA. The DRG is not valid.
Parser	D073B	S	Active	DRG is a non mandatory numeric field with a maximum length of 3 characters.	INVALID DATA: DRG is numeric with a max length of 3. Field is optional.
Content	D073E	S	Active	When the DRG is provided and found in the lookup table, then it must be within date range(based on dates of service).	INVALID DATA. The DRG is not within date range.
Content	D073F	S	Active	DRG must be null for member share.	INVALID DATA. Member Share is a member share transaction and DRG is not null.
Content	D074A	S	Active	When the Record Type = O or C with an Adjustment Type equals N, SPC Code must be provided.	INVALID DATA. SPC is not provided.
Parser	D074B	S	Active	SPC is a non mandatory alphanumeric field with a maximum length of 6 characters.	INVALID DATA: SPC is alphanumeric with a max length of 6. Field is optional.
Content	D074C	S	Active	SPC must exist in the SPC lookup table for this line of business.	INVALID DATA. SPC is not valid for this line of business.
Content	D074F	S	Active	When provided, then the SPC must not begin with "095." On a Non-member share transaction.	INVALID DATA. SPC begins with 095.
Content	D074G	S	Active	The Service Date From must be greater than or equal to the SPC begin date.	INVALID DATA. The Service Date From is not greater than or equal to SPC begin date.

| Revision Date: | 12/05/2007 | Author: | Ramona Johnson | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 17 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	D074H	S	Active	The Service Date From date must be less than or equal to the SPC end date.	INVALID DATA. The Service Date From is not less than or equal to SPC end date.
Content	D074I	S	Active	The Service Date To date must be greater than or equal to the SPC begin date.	INVALID DATA. The Service Date To is not greater than or equal to SPC begin date.
Content	D074J	S	Active	The Service Date To date must be less than or equal to the SPC end date.	INVALID DATA. The Service Date To is not less than or equal to SPC end date.
Content	D074K	S	Active	The SPC must equal "095.01" on a Cost share transaction.	INVALID DATA. SPC does not equal 095.01 on the cost share transaction.
Content	D074L	S	Active	The SPC must equal "095.02" on a Vol. Contrib. transaction.	INVALID DATA. SPC does not equal 095.02 on the voluntary contribution transaction.
Content	D074M	S	Active	The SPC must equal "095.03" on a Room & Board transaction.	INVALID DATA. SPC does not equal 095.03 on the room & board transaction.
Content	D074N	S	Active	When SPC has medical health indicator Y then Place of Service must be provided.	MISSING DATA. SPC has a health medical indicator, and the Place of Service is not provided.
Content	D074O	S	Active	Procedure Code or Revenue Code must be provided When medical indicator is set for the corresponding SPC + SPC Subprogram Code in the Master SPC Lookup table.	MISSING DATA. SPC has a health medical indicator and the Procedure Code or Revenue Code is not provided.
Content	D074R	S	Active	The SPC must equal 095.04 on a spenddown transaction.	INVALID DATA. SPC does not equal 095.04 on the spenddown transaction.
Content	D074S	S	Active	SPC must be valid for the Delivery Year Month.	INVALID DATA: SPC is not valid for this delivery_year_month.
Parser	D075A	S	Active	Diagnosis Code Principal is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Principal must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D075C	S	Active	When the Diagnosis Code Principal is provided then the code must exist in the master lookup table.	INVALID DATA. Diagnosis Code Principal is not valid.
Content	D075D	S	Active	When the Diagnosis Code Principal is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Principal is not in date range.
Content	D075E	S	Active	Diagnosis Code Principal must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Principal is not null.
Content	D075F	S	Active	When any number of diagnosis codes are provided, the data must start with the Diagnosis Code Principal, and each subsequent diagnosis code field must be filled consecutively without gaps.	INVALID SEQUENCE. Diagnosis codes are not filled consecutively.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 18 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	D075H	S	Active	The Diagnosis Code Principal is required for Institutional and Professional Claim Types.	MISSING DATA. The Diagnosis Code Principal must be provided for Institutional and Professional Claim Types.
Content	D075I	S	Active	E-Diagnosis codes cannot be used as Primary Diagnosis	INVALID DATA. The External Cause of Injury Code cannot be used as a Diagnosis Code Principal.
Content	D075J	S	Active	When the Diagnosis Code Principal is provided it must be in the master lookup table and within date range (based on Delivery Year Month).	INVALID DATA: Diagnosis_code_principal is not valid for this delivery_year_month.
Parser	D076A	R	Active	Service Delivery Type is a non mandatory 2 character field.	INVALID DATA: Service_Delivery_Type is alpha with a fixed length of 2. Field is optional.
Content	D076C	R	Active	When Service Delivery type is a valid Service Delivery type (exists in the master lookup table) then it must be valid for this organization.	INVALID DATA. This Service Delivery Type is not valid for this organization.
Content	D076D	R	Active	When Service Delivery type is not found in the master lookup table.	INVALID DATA. This Service Delivery Type is not valid.
Content	D076E	R	Active	Service Delivery type must be provided.	MISSING DATA. Service Delivery Type is not provided.
Parser	D077A	S	Active	Diagnosis Code Additional 9 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 9 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D077C	S	Active	If Diagnosis Code Additional 9 is provided, it must exist on the Master Lookup table	INVALID DATA. Diagnosis Code Additional 9 is not valid.
Content	D077D	S	Active	When the Diagnosis Code Additional 9 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 9 is not in date range.
Content	D077E	S	Active	The Diagnosis Code Additional 9 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 9 is not null.
Parser	D078A	M	Active	Patient Status Code is a non mandatory alphanumeric field with a maximum length of 2 characters.	INVALID DATA: Patient Status Code is alphanumeric with a max length of 2. Field is optional.
Content	D078C	M	Active	When Patient Status Code is provided, it must exist in the Master Lookup Table.	INVALID DATA. Patient Discharge Status Code is not valid.
Content	D078D	M	Active	When Patient Status Code is provided, it must be within date range.	INVALID DATA. Patient Discharge Status Code is not within date range.
Content	D078E	S	Active	If Claim Type = Institutional, Patient Status Code must be provided.	MISSING DATA. Claim Type is Institutional, and Patient Status Code is not provided.
Content	D078F	S	Active	Patient Status Code must be null for member share.	INVALID DATA. Patient Status Code is not null for member share.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 19 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D079A	S	Active	Procedure Code ICD Principal is a non mandatory alphanumeric field with a maximum length of 30.	INVALID DATA: Procedure Code ICD Principal is alphanumeric with a max length of 30. Field is optional.
Content	D079C	S	Active	When Procedure Code ICD Principal is provided, it must exist in the Master Lookup Table.	INVALID DATA. Procedure Code ICD Principal is not valid.
Content	D079D	S	Active	When Procedure Code ICD Principal is provided, it must be within date range of the Procedure Date ICD Principal.	INVALID DATA. Procedure Code ICD Principal is not within date range of the Procedure Date ICD Principal.
Content	D079E	S	Active	If any ICD9 Procedure Code is provided, a Revenue Code must be provided.	MISSING DATA. ICD9 Procedure Code is provided, and the Revenue Code is not provided
Content	D079F	S	Active	When Procedure Code ICD Principal is provided, the corresponding ICD9 Procedure Date must be provided.	MISSING DATA. Procedure Code ICD Principal is provided and the corresponding Procedure Date ICD is not provided.
Content	D079G	S	Active	ICD9 Procedure Codes must be filled sequentially and without gaps.	INVALID SEQUENCE. ICD9 Procedure Code is not filled sequentially and without gaps.
Parser	D080A	S	Active	Procedure Code ICD Additional 2 is a non mandatory alphanumeric field with a maximum length of 30.	INVALID DATA: Procedure Code ICD Additional 2 is alphanumeric with a max length of 30. Field is optional.
Content	D080C	S	Active	When Procedure Code ICD Additional 2 is provided, it must exist in the Master Lookup Table.	INVALID DATA. Procedure Code ICD Additional 2 is not valid.
Content	D080D	S	Active	When Procedure Code ICD Additional 2 is provided, it must be within date range of the Procedure Date ICD Additional 2.	INVALID DATA. Procedure Code ICD Additional 2 is not within date range of the Procedure Date ICD Additional 2.
Content	D080E	S	Active	When Procedure Code ICD Additional 2 is provided, the corresponding Procedure Date ICD's must be provided.	MISSING DATA. Procedure Code ICD Additional 2 is provided and the corresponding Procedure Date ICD is not provided.
Parser	D081A	S	Active	Procedure Code ICD Additional 3 is a non mandatory alphanumeric field with a maximum length of 30.	INVALID DATA: Procedure Code ICD Additional 3 is alphanumeric with a max length of 30. Field is optional.
Content	D081C	S	Active	When Procedure Code ICD Additional 3 is provided, it must exist in the Master Lookup Table.	INVALID DATA. Third ICD9 Procedure Code is not valid.
Content	D081D	S	Active	When Procedure Code ICD Additional 3 is provided, it must be within date range of the Procedure Date ICD Additional 3.	INVALID DATA. Procedure Code ICD Additional 3 is not within date range of the Procedure Date ICD Additional 3.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc   Page 20 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	D081E	S	Active	When Procedure Code ICD Additional 3 is provided, the corresponding Procedure Date ICD's must be provided.	MISSING DATA. Procedure Code ICD Additional 3 is provided and the corresponding Procedure Date ICD is not provided.
Parser	D082A	S	Active	Procedure Code ICD Additional 4 is a non mandatory alphanumeric field with a maximum length of 30.	INVALID DATA: Procedure Code ICD Additional 4 is alphanumeric with a max length of 30. Field is optional.
Content	D082C	S	Active	When Procedure Code ICD Additional 4 is provided, it must exist in the Master Lookup Table.	INVALID DATA. Procedure Code ICD Additional 4 is not valid.
Content	D082D	S	Active	When Procedure Code ICD Additional 4 is provided, it must be within date range of the Procedure Date ICD Additional 4.	INVALID DATA. Procedure Code ICD Additional 4 is not within date range of the Procedure Date ICD Additional 4.
Content	D082E	S	Active	When Procedure Code ICD Additional 4 is provided, the corresponding Procedure Date ICD's must be provided.	MISSING DATA. Procedure Code ICD Additional 4 is provided and the corresponding Procedure Date ICD is not provided.
Parser	D083A	S	Active	Procedure Code ICD Additional 5 is a non mandatory alphanumeric field with a maximum length of 30.	INVALID DATA: Procedure Code ICD Additional 5 is alphanumeric with a max length of 30. Field is optional.
Content	D083C	S	Active	When Procedure Code ICD Additional 5 is provided, it must exist in the Master Lookup Table.	INVALID DATA. Procedure Code ICD Additional 5 is not valid.
Content	D083D	S	Active	When Procedure Code ICD Additional 5 is provided, it must be within date range of the Procedure Date ICD Additional 5.	INVALID DATA. Procedure Code ICD Additional 5 is not within date range of the Procedure Date ICD Additional 5.
Content	D083E	S	Active	When Procedure Code ICD Additional 5 is provided, the corresponding Procedure Date ICD's must be provided.	MISSING DATA. Procedure Code ICD Additional 5 is provided and the corresponding Procedure Date ICD is not provided.
Parser	D084A	S	Active	Procedure Code ICD Additional 6 is a non mandatory alphanumeric field with a maximum length of 30.	INVALID DATA: Procedure Code ICD Additional 6 is alphanumeric with a max length of 30. Field is optional.
Content	D084C	S	Active	When Procedure Code ICD Additional 6 is provided, it must exist in the Master Lookup Table.	INVALID DATA. Procedure Code ICD Additional 6 is not valid.
Content	D084D	S	Active	When Procedure Code ICD Additional 6 is provided, it must be within date range of the Procedure Date ICD Additional 6.	INVALID DATA. Procedure Code ICD Additional 6 is not within date range of the Procedure Date ICD Additional 6.
Content	D084E	S	Active	When Procedure Code ICD Additional 6 is provided, the corresponding Procedure Date ICD's must be provided.	MISSING DATA. Procedure Code ICD Additional 6 is provided and the corresponding Procedure Date ICD is not provided.
Parser	D085A	S	Active	Procedure Date ICD Principal is a non mandatory field in the format of CCYY-MM-DD	Procedure Date ICD Principal is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 21 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
					a valid day for that month.
Content	D085B	S	Active	When Procedure Date ICD Principal is provided, corresponding Procedure Code ICD's must be provided.	MISSING DATA. Procedure Date ICD Principal is provided and the corresponding Procedure Code ICD is not provided.
Content	D085C	S	Active	Procedure Date ICD must be filled sequentially and without gaps.	INVALID SEQUENCE. Procedure Date ICD is not filled sequentially and without gaps.
Parser	D086A	S	Active	Procedure Date ICD Additional 2 is a non mandatory field in the format of CCYY-MM-DD	Procedure Date ICD Additional 2 is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D086B	S	Active	When Procedure Date ICD Additional 2 is provided, corresponding Procedure Code ICD must be provided.	MISSING DATA. Procedure Date ICD Additional 2 is provided and the corresponding Procedure Code ICD is not provided.
Parser	D087A	S	Active	Procedure Date ICD Additional 3 is a non mandatory field in the format of CCYY-MM-DD	Procedure Date ICD Additional 3 is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D087B	S	Active	When Procedure Date ICD Additional 3 is provided, corresponding Procedure Code ICD must be provided.	MISSING DATA. Procedure Date ICD Additional 3 is provided and the corresponding Procedure Code ICD is not provided.
Parser	D088A	S	Active	Procedure Date ICD Additional 4 is a non mandatory field in the format of CCYY-MM-DD	Procedure Date ICD Additional 4 is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D088B	S	Active	When Procedure Date ICD Additional 4 is provided, corresponding Procedure Code ICD must be provided.	MISSING DATA. Procedure Date ICD Additional 4 is provided and the corresponding Procedure Code ICD is not provided.
Parser	D089A	S	Active	Procedure Date ICD Additional 5 is a non mandatory field in the format of CCYY-MM-DD	Procedure Date ICD Additional 5 is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D089B	S	Active	When Procedure Date ICD Additional 5 is provided, corresponding Procedure Code ICD must be provided.	MISSING DATA. Procedure Date ICD Additional 5 is provided and the corresponding Procedure Code ICD is not provided.
Parser	D090A	S	Active	Procedure Date ICD Additional 6 is a non mandatory field in the format of CCYY-MM-DD	Procedure Date ICD Additional 6 is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D090B	S	Active	When Procedure Date ICD Additional 6 is provided, corresponding Procedure Code ICD must be provided.	MISSING DATA. Procedure Date ICD Additional 6 is provided and the corresponding Procedure Code ICD is not provided.
Parser	D091A	S	Active	Type Of Bill Code is a non mandatory alphanumeric field with a maximum length of 3 characters.	INVALID DATA: Type_Of_Bill_Code is alphanumeric with a max length of 3. Field is optional.
Content	D091C	S	Active	When Type of Bill Code is provided, it must exist in the Master Lookup Table.	INVALID DATA. Type of Bill Code is not valid.
Content	D091E	S	Active	If Claim Type = Institutional,	MISSING DATA. Claim Type is institutional, and

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc   Page 22 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Type of Bill Code must be provided.	the Type of Bill Code is not provided.
Content	D091F	S	Active	Type of Bill Code must be null for member share.	INVALID DATA. Type of Bill Code is not null for member share.
Parser	D092A	S	Active	Statement From Date is a non mandatory field in the format of CCYY-MM-DD	Statement From Date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D092B	S	Active	If Claim Type = Institutional, Statement From Date must be provided.	MISSING DATA. Claim Type is institutional, and Statement From Date is not provided.
Content	D092C	S	Active	Statement From Date must be null for member share.	INVALID DATA. Statement From Date is not null for member share.
Parser	D093A	S	Active	Statement To Date is a non mandatory field in the format of CCYY-MM-DD	Statement To Date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D093B	S	Active	If Claim Type = Institutional, Statement To Date must be provided.	MISSING DATA. Claim Type is institutional, and Statement To Date is not provided.
Content	D093C	S	Active	Statement To Date must be null for member share.	INVALID DATA. Statement To Date is not null for member share.
Content	D093D	S	Active	If Statement To Date and Statement From Date is present, Statement To Date must be greater than or equal to Statement From Date.	INVALID DATA: Statement To Date is not greater than or equal to Statement From Date
Parser	D094A	S	Active	Admitting Diagnosis Code is a non mandatory alphanumeric field with a maximum length of 6.	INVALID DATA TYPE: Admitting_diagnosis_code is alphanumeric with a max length of 6. Field is optional.
Content	D094C	S	Active	When Admitting Diagnosis Code is provided, it must exist in the Master Lookup Table.	INVALID DATA. Admitting Diagnosis Code is not valid.
Content	D094D	S	Active	When Admitting Diagnosis Code is provided, it must be within date range.	INVALID DATA. Admitting Diagnosis Code is not within date range.
Content	D094E	S	Active	Admitting Diagnosis Code must be null for member share.	INVALID DATA. Admitting Diagnosis Code is not null for member share.
Content	D094F	S	Active	Admitting Diagnosis Code must be provided when claim type is institutional and type of bill code is inpatient.(inpatient type of bill first digit must be either 1, 2 or 4 and second can be 1 or 2)	MISSING DATA Admitting diagnosis code is required when the claim type is institutional (and) the type of bill code denotes inpatient.
Parser	D095A	S	Active	External Cause of Injury Code is a non mandatory alphanumeric field with a maximum length of 6.	INVALID DATA TYPE: External Cause of Injury Code is alphanumeric with a max length of 6. Field is optional.
Content	D095C	S	Active	When External Cause of Injury Code is provided, it must exist in the Master	INVALID DATA. External Cause of Injury Code is not valid.

| Revision Date: | 12/05/2007 | Author: | Ramona Johnson | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 23 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Lookup Table.	
Content	D095D	S	Active	When External Cause of Injury Code is provided, it must be within date range.	INVALID DATA. External Cause of Injury Code is not within date range.
Parser	D096A	S	Active	Admit Start Care Date is a non mandatory field in the format of CCYY-MM-DD	Admit_Start_Care date is not a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D096B	S	Active	If Claim Type = Institutional, Admit Start Care Date must be provided.	MISSING DATA. Claim Type is Institutional, and Admit Start Care Date is not provided.
Content	D096C	S	Active	Admit Start Care Date must be null for member share.	INVALID DATA. Admit Start Care Date is not null for member share.
Content	D096D	S	Active	When Admit Start Care Date is present, is must be less than or equal to the Service Date From.	INVALID DATA: Admit Start Care Date is greater than Service Date From.
Parser	D097A	S	Active	Claim Type is a non mandatory alphanumeric field with with a maximum length of 2 characters.	INVALID DATA: Claim_type is alphanumeric with a max length of 2. Must be DE = Dental, IN = Institutional, PH = Pharmacy, or PR = Professional
Content	D097C	S	Active	When Claim Type is provided, it must exist in the Master Lookup Table.	INVALID DATA. Claim Type is not valid.
Content	D097E	S	Active	Claim Type must be provided.	MISSING DATA. Claim Type is not provided.
Content	D097F	S	Active	Claim Type must be null for member share.	INVALID DATA. Claim Type is not null for member share.
Parser	D098A	S	Active	Prescriber Dea Number is a non mandatory alphanumeric field with a maximum length of 9 characters.	INVALID DATA: Prescriber_dea_number is alphanumeric with a max length of 9. Field is optional.
Content	D098C	S	Active	When Prescriber DEA number is provided, it must exist in the Master Lookup Table.	INFORMATIONAL. Prescriber DEA number does not exist in the master lookup table.
Content	D098E	S	Active	If Claim Type = Pharmacy, Prescriber DEA Number must be provided.	MISSING DATA. Claim Type is Pharmacy, and Prescriber DEA Number is not provided.
Content	D098F	S	Active	Prescriber DEA Number must be null for member share.	INVALID DATA. Prescriber DEA Number is not null for member share.
Content	D098H	S	Active	When Prescriber DEA number is provided, the number must follow a pattern calculated by its mathematical formula.	INVALID DATA. Prescriber DEA Number does not follow a pattern calculated by its mathematical formula.
Parser	D099A	S	Active	Prescription Number is a non mandatory alphanumeric field with a maximum length of 8 characters.	INVALID DATA: Prescription_number is alphanumeric with a max length of 8. Field is optional.
Content	D099E	S	Active	If Claim Type = Pharmacy, Prescription Number must be provided.	MISSING DATA. Claim Type is Pharmacy, and Prescription Number is not provided.
Content	D099F	S	Active	Prescription Number must be null for member share.	INVALID DATA. Prescription Number is not null for member share.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 24 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D100A	S	Active	Unit Dose Ind is a non mandatory 1 character field.	INVALID DATA: Unit_dose_ind is alphanumeric with a fixed length of 1. Field is optional.
Content	D100C	S	Active	When Unit Dose Indicator is provided, it must be 0,1,2,3.	INVALID DATA. Unit Dose Indicator is not valid.
Content	D100E	S	Active	If Claim Type = Pharmacy, Unit Dose Indicator must be provided.	MISSING DATA. Claim Type is Pharmacy, and Unit Dose Indicator is not provided.
Content	D100F	S	Active	Unit Dose Indicator must be null for member share.	INVALID DATA. Unit Dose Indicator is not null for member share.
Parser	D101A	S	Active	Dispense As Written Ind is a non mandatory 1 character field.	INVALID DATA: Dispense_as_written_ind is alphanumeric with a fixed length of 1. Field is optional.
Content	D101C	S	Active	When Dispense as Written Indicator is provided, it must be numeric, 0 thru 9.	INVALID DATA. Dispense as Written Indicator is not valid.
Content	D101E	S	Active	If Claim Type = Pharmacy, Dispense As Written must be provided.	MISSING DATA. Claim Type is Pharmacy, and Dispense As Written is not provided.
Content	D101F	S	Active	Dispense As Written must be null for member share.	INVALID DATA. Dispense As Written is not null for member share.
Content	D102D	R	Active	Submitter Organization ID must exist in the master lookup table.	INVALID DATA. Submitter Organization ID does not exist in the master lookup table.
Content	D102E	R	Active	Submitter Organization ID on the detail record must match the Organization ID on the header record	MISMATCHING DATA Submitter Organization ID on the detail record does not match the Submitter Organization ID on the header record.
Parser	D103A	S	Active	When the Medicare Paid Amount is provided it must conform to the format specified in the Data Dictionary.	INVALID FORMAT The medicare_paid_amount does not conform to the format specified in the data dictionary.
Content	D103B	S	Active	The Medicare Paid Amount must be zero for a membershare transaction.	INVALID DATA The medicare_paid_amount is not zero for a membershare transaction.
Content	D103C	S	Active	The Medicare Paid Amount must be greater than or equal to zero for an encounter transaction.	INVALID DATA The medicare_paid_amount is not greater than or equal to zero for an encounter transaction.
Parser	D104A	S	Active	When the Medicare COB Type is provided it must conform to the format specified in the Data Dictionary.	INVALID FORMAT The medicare_cob_type does not conform to the format specified in the data dictionary.
Content	D104B	S	Active	The Medicare TPL Type is provided, it must exist on Master Lookup Table.	INVALID DATA The Medicare TPL Type does not exist on Master Lookup Table.
Content	D104C	S	Active	The Medicare COB Type must be null for a membershare transaction.	INVALID DATA The medicare_cob_type is not null for a membershare transaction.
Content	D104D	S	Active	When the Medicare Paid Amount is greater than zero (0), the Medicare COB Type must also be provided.	INVALID DATA The medicare_paid_amount is greater than zero (0), and the medicare_cob_type is not provided.
Parser	D105A	S	Active	When the Other Payer Paid	INVALID FORMAT The

Revision Date:	12/05/2007	Author:	Ramona Johnson	Approver:	

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				Amount (Primary) is provided it must conform to the format specified in the Data Dictionary.	other_payer_paid_amount_primary does not conform to the format specified in the data dictionary.
Content	D105B	S	Active	The Other Payer Paid Amount (Primary) must be zero for a membershare transaction.	INVALID DATA The other_payer_paid_amount_primary is not zero for a membershare transaction.
Content	D105C	S	Active	The Other Payer Paid Amount (Primary) must be greater than or equal to zero for an encounter transaction.	INVALID DATA The other_payer_paid_amount_primary is not greater than or equal to zero for an encounter transaction.
Parser	D106A	S	Active	When the Other Payer COB Type (Primary) is provided it must conform to the format specified in the Data Dictionary.	INVALID FORMAT The other_payer_cob_type_primary does not conform to the format specified in the data dictionary.
Content	D106B	S	Active	The Other Payer TPL Type (Primary) is provided, it must exist on Master Lookup Table.	INVALID DATA The Other Payer TPL Type (Primary) does not exist on Master Lookup Table.
Content	D106C	S	Active	The Other Payer COB Type (Primary) must be null for a membershare transaction.	INVALID DATA The other_payer_cob_type_primary is not null for a membershare transaction.
Content	D106D	S	Active	When the Other Payer Paid Amount (Primary) is greater than zero (0), the Other Payer COB Type (Primary) must also be provided.	INVALID DATA The other_payer_paid_amount_primary is greater than zero (0), and the other_payer_cob_type_primary is not provided.
Parser	D107A	S	Active	When the Other Payer Paid Amount (Secondary) is provided it must conform to the format specified in the Data Dictionary.	INVALID FORMAT other_payer_paid_amount_secondary does not conform to the format specified in the data dictionary.
Content	D107B	S	Active	The Other Payer Paid Amount (Secondary) must be zero for a membershare transaction.	INVALID DATA The other_payer_paid_amount_secondary is not zero for a membershare transaction.
Content	D107C	S	Active	The Other Payer Paid Amount (Secondary) must be greater than or equal to zero for an encounter transaction.	INVALID DATA The other_payer_paid_amount_secondary is not greater than or equal to zero for an encounter transaction.
Parser	D108A	S	Active	When the Other Payer COB Type (Secondary) is provided it must conform to the format specified in the Data Dictionary.	INVALID FORMAT The other_payer_cob_type_secondary does not conform to the format specified in the data dictionary.
Content	D108B	S	Active	The Other Payer TPL Type (Secondary) is provided, it must exist on Master Lookup Table.	INVALID DATA The Other Payer TPL Type (Secondary) does not exist on Master Lookup Table.
Content	D108C	S	Active	The Other Payer COB Type (Secondary) must be null for a membershare transaction.	INVALID DATA The other_payer_cob_type_secondary is not null for a membershare transaction.
Content	D108D	S	Active	When the Other Payer Paid Amount (Secondary) is greater than zero (0), the Other Payer COB Type	INVALID DATA The other_payer_paid_amount_secondary is greater than zero (0), and the other_payer_cob_type_secondary is not

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 26 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				(Secondary) must also be provided.	provided.
Content	D109B	S	Active	The Sum of the 3 COBs plus Paid Amount must be less than or equal to Allowed Amount.	INVALID DATA The Sum of the 3 COBs plus Paid Amount is not less than or equal to Allowed Amount.
Content	D109C	S	Active	The Sum of the 3 COBs plus Paid Amount must be less than or equal to Charges.	INVALID DATA The Sum of the 3 COBs plus Paid Amount is not less than or equal to Charges.
Parser	D110A	S	Active	When present, the POA indicator must conform to the format specified in the data dictionary, ie, begin with POA, be an alphanumeric value with a min length of 5 and max length of 22 and end in X or Z.	poa_indicator does not conform to the format specified in the data dictionary.
Content	D110B	R	Active	When provided, Diagnosis POA indicators must be one of the following values; Y, N, U, W, or 1.	Diagnosis POA indicator is invalid.
Content	D110C	R	Active	When provided, the POA_Indicator field must contain POA indicator for every diagnosis code that is reported.	POA indicator has not been supplied for every diagnosis code.
Parser	D111A	S	Active	Diagnosis Code Additional 10 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 10 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D111C	S	Active	If Diagnosis Code Additional 10 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 10 is not valid.
Content	D111D	S	Active	When the Diagnosis Code Additional 10 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 10 is not in date range.
Content	D111E	S	Active	The Diagnosis Code Additional 10 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 10 is not null.
Parser	D112A	S	Active	Diagnosis Code Additional 11 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 11 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D112C	S	Active	If Diagnosis Code Additional 11 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 11 is not valid.
Content	D112D	S	Active	When the Diagnosis Code Additional 11 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 11 is not in date range.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 27 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Content	D112E	S	Active	The Diagnosis Code Additional 11 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 11 is not null.
Parser	D113A	S	Active	Diagnosis Code Additional 12 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 12 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D113C	S	Active	If Diagnosis Code Additional 12 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 12 is not valid.
Content	D113D	S	Active	When the Diagnosis Code Additional 12 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 12 is not in date range.
Content	D113E	S	Active	The Diagnosis Code Additional 12 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 12 is not null.
Parser	D114A	S	Active	Diagnosis Code Additional 13 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 13 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D114C	S	Active	If Diagnosis Code Additional 13 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 13 is not valid.
Content	D114D	S	Active	When the Diagnosis Code Additional 13 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 13 is not in date range.
Content	D114E	S	Active	The Diagnosis Code Additional 13 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 13 is not null.
Parser	D115A	S	Active	Diagnosis Code Additional 14 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 14 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D115C	S	Active	If Diagnosis Code Additional 14 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 14 is not valid.
Content	D115D	S	Active	When the Diagnosis Code Additional 14 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 14 is not in date range.
Content	D115E	S	Active	The Diagnosis Code Additional 14 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 14 is not null.
Parser	D116A	S	Active	Diagnosis Code Additional 15 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 15 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D116C	S	Active	If Diagnosis Code Additional 15 is provided, it must exist	INVALID DATA. Diagnosis Code Additional 15 is not valid.

Revision Date:	12/05/2007	Author:	Ramona Johnson	Approver:	

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				on the Master Lookup table.	
Content	D116D	S	Active	When the Diagnosis Code Additional 15 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 15 is not in date range.
Content	D116E	S	Active	The Diagnosis Code Additional 15 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 15 is not null.
Parser	D117A	S	Active	Diagnosis Code Additional 16 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 16 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D117C	S	Active	If Diagnosis Code Additional 16 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 16 is not valid.
Content	D117D	S	Active	When the Diagnosis Code Additional 16 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 16 is not in date range.
Content	D117E	S	Active	The Diagnosis Code Additional 16 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 16 is not null.
Parser	D118A	S	Active	Diagnosis Code Additional 17 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 17 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D118C	S	Active	If Diagnosis Code Additional 17 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 17 is not valid.
Content	D118D	S	Active	When the Diagnosis Code Additional 17 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 17 is not in date range.
Content	D118E	S	Active	The Diagnosis Code Additional 17 must be null for member share.	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional 17 is not null.
Parser	D119A	S	Active	Diagnosis Code Additional 18 is a non mandatory field with a maximum length of 30 characters.	INVALID DATA: Diagnosis Code Additional 18 must be an alphanumeric dot value with a max length of 30. Field is optional.
Content	D119C	S	Active	If Diagnosis Code Additional 18 is provided, it must exist on the Master Lookup table.	INVALID DATA. Diagnosis Code Additional 18 is not valid.
Content	D119D	S	Active	When the Diagnosis Code Additional 18 is provided and the code is in the master lookup table, then it must be within date range (based on dates of service).	INVALID DATA. Diagnosis Code Additional 18 is not in date range.
Content	D119E	S	Active	The Diagnosis Code Additional 18 must be null for	INVALID DATA. Member Share is a member share transaction and Diagnosis Code Additional

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc   Page 29 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				member share.	18 is not null.
Parser	D450A	S	Active	Administered LTC Functional Screen a situational field with a value of Y or N	INVALID DATA: When provided administered_ltc_functional_screen must be Y or N.
Content	D450B	R	Active	At least one activity must be Y.	MISSING DATA: No activities were submitted with a value of Y.
Parser	D451A	S	Active	Assisted With Medicaid App Process a situational field with a value of Y or N	INVALID DATA: When provided assisted_with_medicaid_app_process must be Y or N.
Parser	D452A	R	Active	Contact Date is a mandatory field in the format of CCYY-MM-DD	INVALID DATA: Contact_date must be present and have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	D452B	R	Active	Contact Date must be within the posting period. Less than or equal to the header End Posting Date and greater than or equal to the Begin Posting Date.	INVALID DATA: Contact_date is not within the posting period.
Parser	D453A	S	Active	Contact Disability Type 1 is a mandatory alpha field with a max length of 2.	INVALID DATA: Contact_disability_type_1 must be present, alpha with a max length of 2.
Content	D453B	R	Active	Contact Disablility Type 1 must be a valid value.	INVALID DATA: Contact_disability_type_1 is not a valid value.
Parser	D454A	S	Active	Contact Disability Type 2 is a situational alpha field with a max length of 2.	INVALID DATA: When provided contact_disability_type_2 must be alpha with a max length of 2.
Content	D454B	R	Active	When supplied Contact Disablility Type 2 must be a valid value.	INVALID DATA: Contact_disability_type_2 is not a valid value.
Content	D454C	R	Active	When Contact Disablility Type 1 is U Contact Disability Type 2 cannot be populated.	INVALID DATA: Contact_disability_type_1 is U and Contact_disability_type_2 was supplied.
Content	D454D	R	Active	When supplied Contact Disablility Type 2 cannot be a duplicate of Disability Type 1.	DUPLICATE DATA: Contact_disability_type_2 is a duplicate of contact_disability_type_1.
Parser	D455A	S	Active	Contact Disability Type 3 is a situational alpha field with a max length of 2.	INVALID DATA: When provided contact_disability_type_3 must be alpha with a max length of 2.
Content	D455B	R	Active	When supplied Contact Disablility Type 3 must be a valid value.	INVALID DATA: Contact_disability_type_3 is not a valid value.
Content	D455C	R	Active	When Contact Disablility Type 1 is U Contact Disability Type 3 cannot be populated.	INVALID DATA: Contact_disability_type_1 is U and Contact_disability_type_3 was supplied.
Content	D455D	R	Active	When supplied Contact Disablility Type 3 cannot be a duplicate of Contact Disability Type 1 or 2.	DUPLICATE DATA: Contact_disability_type_3 is a duplicate of contact_disability_type_1 or 2.
Content	D455E	R	Active	Contact Disablility Type 3 cannot be populated unless Contact Disability Type 2 is populated.	SEQUENCE ERROR: Contact_disability_type_3 is populated and contact_disability_type_2 is not.
Parser	D456A	S	Active	Contact Disability Type 4 is a situational alpha field with a	INVALID DATA: When provided contact_disability_type_4 must be alpha with a

| Revision Date: | 12/05/2007 | Author: | Ramona Johnson | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 30 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				max length of 2.	max length of 2.
Content	D456B	R	Active	When supplied Contact Disablility Type 4 must be a valid value.	INVALID DATA: Contact_disability_type_4 is not a valid value.
Content	D456C	R	Active	When Contact Disablility Type 1 is U Contact Disability Type 4 cannot be populated.	INVALID DATA: Contact_disability_type_1 is U and Contact_disability_type_4 was supplied.
Content	D456D	R	Active	When supplied Contact Disablility Type 4 cannot be a duplicate of Contact Disability Type 1, 2 or 3.	DUPLICATE DATA: Contact_disability_type_4 is a duplicate of contact_disability_type_1, 2 or 3.
Content	D456E	R	Active	Contact Disablility Type 4 cannot be populated unless Contact Disability Type 2 and 3 are populated.	SEQUENCE ERROR: Contact_disability_type_4 is populated and contact_disability_type_2 or 3 are not.
Parser	D457A	S	Active	Contact Disability Type 5 is a situational alpha field with a max length of 2.	INVALID DATA: When provided contact_disability_type_5 must be alpha with a max length of 2.
Content	D457B	R	Active	When supplied Contact Disablility Type 5 must be a valid value.	INVALID DATA: Contact_disability_type_5 is not a valid value.
Content	D457C	R	Active	When Contact Disablility Type 1 is U Contact Disability Type 5 must be not be supplied.	INVALID DATA: Contact_disability_type_1 is U and Contact_disability_type_5 was supplied.
Content	D457D	R	Active	When supplied Contact Disablility Type 5 cannot be a duplicate of Contact Disability Type 1, 2, 3 or 4.	DUPLICATE DATA: Contact_disability_type_5 is a duplicate of contact_disability_type_1, 2, 3 or 4.
Content	D457E	R	Active	Contact Disablility Type 5 cannot be populated unless Contact Disability Type 2, 3 and 4 are populated.	SEQUENCE ERROR: Contact_disability_type_5 is populated and contact_disability_type_2, 3 or 4 are not.
Parser	D458A	R	Active	Contact ID is a mandatory alphanumeric field with a max length of 10.	INVALID DATA: Contact_id must be present, alphanumeric with a max length of 10.
Content	D458B	R	Active	Contact ID must be unique within the submitting organization.	DUPLICATE DATA: Contact_id already exists from a previous submission.
Content	D458C	R	Active	Contact ID must be unique within the submitted file.	DUPLICATE DATA: Contact_id is a duplicate within the submission.
Parser	D459A	S	Active	Disenrollment Consultation is a situational field with a value of Y or N.	INVALID DATA: When provided disenrollment_consultation must be Y or N.
Parser	D460A	S	Active	Enrollment Consultation is a situational field with a value of Y or N.	INVALID DATA: When provided enrollment_consultation must be Y or N.
Parser	D461A	S	Active	Health Promotion or Information is a situational field with a value of Y or N	INVALID DATA: When provided health_promotion_or_information must be Y or N.
Parser	D462A	S	Active	Initiated Contact is a mandatory, alpha field with a max length of 4.	INVALID DATA: Initiated_contact must be present, alpha with a max length of 4.
Content	D462B	R	Active	Initiated Contact must be a valid value.	INVALID DATA: Initiated_contact is not a valid value.

| Revision Date: | 12/05/2007 | Author: | Ramona Johnson | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online Documentation\editlibrary.doc
Page 31 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	D463A	S	Active	Other Financial Needs Referral is a situational field with a value of Y or N.	INVALID DATA: When provided other_financial_needs_referral must be Y or N.
Parser	D464A	S	Active	Private Pay Options Asst is a situational field with a value of Y or N.	INVALID DATA: When private_pay_options_asst must be Y or N.
Parser	D465A	S	Active	Provided Follow Up is a situational field with a value of Y or N.	INVALID DATA: When provided provided_follow_up must be Y or N.
Parser	D466A	S	Active	Provided Information Assistance is a situational field with a value of Y or N.	INVALID DATA: When provided provided_information_assistance must be Y or N.
Parser	D467A	S	Active	Provided Options Counseling is a situational field with a value of Y or N.	INVALID DATA: When provided provided_options_counseling must be Y or N.
Parser	D468A	S	Active	Referred for MH Services is a situational field with a value of Y or N.	INVALID DATA: When provided referred_for_mh_services must be Y or N.
Parser	D469A	S	Active	Referred for Substance Use Services is a situational field with a value of Y or N.	INVALID DATA: When provided referred_for_substance_use_services must be Y or N.
Parser	D470A	S	Active	Referred to Economic Support is a situational field with a value of Y or N.	INVALID DATA: When provided referred_to_economic_support must be Y or N.
Parser	D471A	S	Active	Refused PAC Services is a situational field with a value of Y or N.	INVALID DATA: When provided refused_pac_services must be Y or N.
Parser	D472A	S	Active	Services Brief or Coordination is a situational field with a value of Y or N.	INVALID DATA: When provided services_brief_or_coordination must Y or N.
Parser	D473A	S	Active	Under Sixty Years Old is a mandatory field with a value of Y, N or U.	INVALID DATA: Under_sixty_years_old must be present and have a value of Y, N or U.
Parser	D474A	R	Active	Worker ID is a mandatory alphanumeric field with a maximum length of 16.	INVALID DATA: Worker_id must be present, an alphanumeric value with a max length of 16.
Parser	D475A	S	Active	Under Youth Transition Support is a situational field with a value of Y or N.	INVALID DATA: When provided youth_transition_support must be aY or N.
Parser	H000A	H	Active	Filename must have .XML as the extension.	INVALID FILE NAME. File name does not have .XML as the extension.
Content	H000C	H	Active	Current encounter file month (from begin Posting date) must sequentially follow the month of last accepted submission.	INVALID SEQUENCE. Current encounter submission does not sequentially follow the last accepted submission.
Parser	H000D	H	Active	Submission file must consist of a header record followed by 0 or more detail records.	INVALID LAYOUT. File layout does not match layout specified in program's xml schema file.
Parser	H001A	H	Active	The Submitter Organization ID must exist and be active in the organization table.	INVALID DATA. Submitter Organization ID does not exist in the master lookup table.
Parser	H001C	S	Active	Submitter Organization ID is a mandatory 8 digit numeric field.	Submitter Organization ID must be present and have a numeric value with a fixed length of 8.

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
Parser	H001E	S	Active	The Submitter Organization ID in the header must match the value supplied in the GUI (submission table)	MISMATCHING DATA. Submitter Organization ID displayed on the screen does not match the value found in the header record
Parser	H001G	H	Active	The program that the Submitter Organization ID is associated with must have an xsd:schema associated with it.	INVALID DATA. The program for this organization does not have an xsd:schema assigned.
Parser	H002A	H	Active	Submission Date is a mandatory field in the format of CCYY-MM-DD	Submission_Date must be present and have a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	H002D	H	Active	Submission Date must be less than or equal to today's date.	INVALID DATA. Submission Date is not less than or equal to today's date.
Content	H002E	H	Active	Submission Date must be greater than or equal to End Posting Date.	INVALID DATA. Submission Date is not greater than or equal to End Posting Date.
Parser	H003A	H	Active	Begin Posting Date is a mandatory field in the format of CCYY-MM-DD	Begin_Posting_Date must be present and have a valid date format of CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	H003D	H	Active	Begin Posting Date must be less than End Posting Date.	INVALID DATA. Begin Posting Date is not less than End Posting Date.
Content	H003E	H	Active	Begin Posting Date must be the first date for that month.	INVALID DATA. Begin Posting Date is not the first date for that month.
Content	H003F	H	Active	Begin Posting Date year must be > 2007.	INVALID DATA. Begin Posting Date is before cutover.
Content	H003G	H	Active	Begin Posting Date must be the first day for a calendar quarter.	INVALID DATA. Begin Posting Date is not the first day of a calendar quarter
Parser	H004A	H	Active	End Posting Date is a mandatory field in the format of CCYY-MM-DD	End_Posting_Date must be present and have a valid date format CCYY-MM-DD, where CCYY is a valid century and year, MM is a valid month and DD is a valid day for that month.
Content	H004D	H	Active	End Posting date must be greater than Begin Posting Date.	INVALID DATA. End Posting date is not greater than Begin Posting Date.
Content	H004E	H	Active	End Posting date must be the last date for that month.	INVALID DATA. End Posting Date is not the last date for that month.
Content	H004F	H	Active	Begin Posting Date and End Posting date must have the same month and year.	INVALID DATA. Begin Posting Date and the End Posting Date must contain the same month and year.
Content	H004G	H	Active	End Posting date must be the last day of the same quarter as Begin Posting Date.	INVALID DATA. End Posting Date is not the last day of the submission quarter.
Parser	H005A	H	Active	Number of Records is a mandatory whole integer field.	INVALID VALUE: Number_of_records_transmitted must be present and must be a whole integer from 0 to 99999999.
Content	H005C	H	Active	Number of Records Transmitted must be equal to the number of detail records in a submission.	MISMATCHING DATA. Number of Records Transmitted does not equal the number of detail records in this submission.
Parser	H006A	H	Active	Submission Type is	Submission_Type must be present and must be

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 33 of 35

Edit Type	Edit Number	Error Category	Status	Edit Description	Error Message
				mandatory field with a value of "Production".	"Production".

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 34 of 35

Change Log

Date	Changes	Changed By	Remarks/Reason
11/27/2007	Document is baselined at version 4. From now on, all changes will be implemented into the baseline document, and documented into the change log.	Ramona Johnson	One time document baselining.
11/28/2008	Remove obsoleted, and/or unassigned edits from the edit library documetation; included the revision date form at the bottom of each page, along with the directory path and page numbering.	Ramona Johnson	Cleanup Content and Parser Edits: Edit Library - Documentation
09/04/2008	Replaced description for Edit D002A.	Phyllis Schmoller	Change per Bugzilla 2358.
09/12/2008	Added Edit D046L for reading HIPPS table.	Phyllis Schmoller	Change per Bugzilla 2363.
09/23/2008	Modified Error Message for Edit D046L.	Phyllis Schmoller	Change requested by customer.

| Revision Date: | *12/05/2007* | Author: | *Ramona Johnson* | Approver: | |

J:\Account Policies and Procedures\QMS\Level 3 documents - Team\MEDS\DDES\Encounter\Documentation\Encounter Online
Documentation\editlibrary.doc   Page 35 of 35